# BAREFOOT IN THE GARDEN

FEATURING TANYA WHELAN'S BAREFOOT ROSES CLASSICS



FINISHED SIZE 77X92

DESIGNED BY LINDA LEHN
FOR
TANYA WHELAN FABRICS

## BAREFOOT IN THE GARDEN

Fabric	Yardage	Cutting Instructions
Fabric A - TW05 Cream	1 1/2	Cut 4 strips at 6 inches x* WOF. Sub cut into 24 6 inch squares. Cut 8 strips at 2 ½ inches x WOF for the borders.  *WOF- Width of fabric from one selvage to the other.
Fabric B - TW02 Aqua	2 1/4	Cut 4 strips at 5 ½ inches x WOF. Sub cut into 24 5 ½ squares. Cut 8 strips at 6 ½ inches x WOF for the borders.
Fabric C - TW05 Pink	1 3/4	Cut 2 strips at 6 inches x WOF. Sub cut into 12 6 inch squares. Cut 1 strip at 5 ½ inches x WOF. Sub cut into 6 5 ½ inch squares. Cut 6 strips at 6 ½ inches x WOF for the borders.
Fabric D - TW03 Cream	3/4	Cut 4 strips at 3 inches x WOF. Cut 1 strip at 6 ½ inches x WOF. Sub cut into 4 6 ½ inches squares to be used in the borders.
Fabric E - TW05 Aqua	1	Cut 4 strips at 3 inches x WOF. Cut 6 strips at 2 ½ inches x WOF for the borders.
Fabric F - TW02 Pink	3/4	Cut 2 strips at 6 inches x WOF. Sub cut into 12 6 inch squares. Cut 1 strip at 5 ½ inches x WOF. Sub cut into 6 5 ½ inch squares.

You may select the fabrics of your choice for binding and backing. You will need 3/4 yd for binding and 6 yd for backing. You will need a piece of batting approximately 81 x 96 inches.


#### **Half Square Triangles**


#### All seams are 1/4 inch unless otherwise noted.

Place two 6 inch squares right sides together. Mark a line from one corner to the opposite corner. Stich ¼ inch away from the line on both sides. Cut apart on the line to make 2 half square triangle blocks.

Make a total of 24 units using Fabrics A and C. Press toward Fabric C. Make a total of 24 units using Fabrics A and F. Press toward Fabric A.

Square and trim these units to 5 ½ inches square.









Strip Piece and Sub Cut units for Block 2


Sew the 4 3 inch strips of Fabric D to the 4 3 inch strips of Fabric E along the long edges with right sides together. Press toward Fabric E. This should give you 4 strips that should measure 5 ½ inches wide. Sub cut these strips into 24 5 ½ inch squares.




Use the 5 1/2 inch squares of Fabrics B and C and the half square triangle units of Fabrics A and C to assemble Block 1. Sew together as shown below. Make 6 blocks this style. Press all seams toward Fabric B and the last two seams toward the center of the block. Refer to the arrows on the illustration for pressing directions.








Use the 5 1/2 inch squares of Fabric F, the half square triangle units of Fabrics A and F, and the 5 1/2 inch strip pieced units of Fabrics D and E to assemble Block 2. Sew together as shown below. Make 6 blocks this style. Refer to the arrows in the illustrations for pressing directions.




Lay out blocks 1 and 2 as shown. Sew together in rows. Press the seams all in one direction in one row and in the opposite direction on the next row so that the seams nest when the rows are sewn together. Refer to the arrows for pressing directions.




#### Create the Border Pieces and Attach the Borders

Border 1 - From the remaining 2 ½ inch strips of Fabric E create 2 pieces 49 ½ inches long and 2 pieces 60 ½ inches long. The best way to do this is to join them end to end with right sides together at a 45 degree angle, trim the seam allowance to ¼ inch and clip off the dog ears. Press these and use them to cut the appropriate length pieces for the borders. Use this method for all borders.

Attach Border 1 starting by sewing the longer sides first and then the shorter ends. Press all seams toward the border.





Border 2 – From the remaining 6 ½ inch strips of Fabric C create 2 pieces 49 ½ inches and 2 pieces 64 ½ inches. This border will use the remaining 6 ½ inch squares of Fabric D as corner stones.


Sew Border 2. Sew one square of Fabric D to each end of the two shorter border pieces of Fabric C.


Press these seams toward the Fabric C border piece.



Attach the border, first sewing on the longer sides and then the shorter pieces on the ends.

Press all seams toward the border.






Border 3 – From the remaining 2 ½ inch strips of Fabric A create 2 pieces 65 ½ inches and 2 pieces 76 ½ inches.

Attach Border 3 in the same manner as before starting with the long sides and finishing with the ends. Press all seams toward the border.

Border 4 – From the remaining 6 ½ inch strips of Fabric B, create 2 pieces 77 ½ inches and 2 pieces 80 ½ inches.

Attach Border 4 in the same manner as all other borders. Press all seams toward the border.



### Congratulations! You have finished your quilt top.

#### **Finishing Instructions**

Cut your backing yardage in half across the width of the fabric. Sew the two pieces right sides together along one selvage edge. Leave a wide enough seam allowance to trim the selvage edge away when you are done. Trim away the selvage and press this seam open.

Sandwich and quilt as desired.

Cut 9 binding strips from your chosen binding fabric. These may be cut at either 2 ¼ inches or 2 ½ inches, whatever you prefer. Join these strips end to end with 45 degree seams, just as you did the borders in the instructions from Page 5. Press in half with wrong sides together so that the long edges meet and it makes one long strip. Use this long piece to bind your quilt using your favorite binding method.